Rules of Department of Natural Resources Division 20—Clean Water Commission Chapter 6—Permits

Title]	Page
10 CSR 20-6.010	Construction and Operating Permits	3
10 CSR 20-6.011	Fees	8
10 CSR 20-6.015	No-Discharge Permits	11
10 CSR 20-6.020	Public Participation, Hearings and Notice to Governmental Agencies	16
10 CSR 20-6.030	Disposal of Wastewater in Residential Housing Developments	18
10 CSR 20-6.040	Expiration of Operating Permits in Force Under Senate Bill 424 (Rescinded July 10, 1980)	23
10 CSR 20-6.050	Self-Monitoring (Rescinded May 12, 1983)	23
10 CSR 20-6.060	Water Quality Certification	23
10 CSR 20-6.070	Groundwater Heat Pump Operating Permits	24
10 CSR 20-6.080	Signatures for Construction Permits, Operating Permits and Groundwater Heat Pump Injection/Withdrawal Wells	28
10 CSR 20-6.090	Class III Mineral Resources Injection/Production Well Operating Permits	28
10 CSR 20-6.100	General Pretreatment Regulation	43
10 CSR 20-6.200	Storm Water Regulations	56
10 CSR 20-6.300	Concentrated Animal Feeding Operations	68



Title 10—DEPARTMENT OF NATURAL RESOURCES Division 20—Clean Water Commission Chapter 6—Permits

10 CSR 20-6.010 Construction and Operating Permits

PURPOSE: This rule sets forth the requirements and process of application for construction and operating permits, and the terms and conditions for the permits. This rule also clarifies the requirements of the permit program, improves its administration and brings the program in compliance with the latest federal regulations, 44 FedReg 32.854 (1979).

(1) Permits-General.

(A) All persons who build, erect, alter, replace, operate, use or maintain existing point sources, or intend these actions for a proposed point source, water contaminant sources or wastewater treatment facilities shall apply to the department for the permits required by the Missouri Clean Water Law and these regulations. The department issues these permits in order to enforce the Missouri Clean Water Law and regulations and administer the National Pollutant Discharge Elimination System (NPDES) Program.

(B) The following are exempt from permit regulations:

1. Nonpoint source discharges;

2. Service connections to wastewater sewer systems;

3. Internal plumbing and piping or other water diversion or retention structures within a manufacturing or industrial plant or mine, which are an integral part of the industrial or manufacturing process or building or mining operation. An operating permit or general permit shall be required, if the piping, plumbing, or structures result in a discharge to waters of the state;

4. Routine maintenance or repairs of any existing sewer system, wastewater treatment facility, or other water contaminant or point source;

5. Single family residences;

6. The discharge of water from an environmental emergency cleanup site under the direction of, or the direct control of, the Missouri Department of Natural Resources or the Environmental Protection Agency (EPA), provided the discharge shall not violate any condition of 10 CSR 20-7.031 Water Quality Standards;

7. Water used in constructing and maintaining a drinking water well and distribution system for public and private use, geologic test holes, exploration drill holes, ground water monitoring wells, and heat pump wells;

8. Small scale pilot projects or demonstration projects for beneficial use, that do not exceed a period of one (1) year may be exempted by written project approval from the permitting authority. The department may extend the permit exemption for up to one (1) additional year. A permit application shall be submitted at least ninety (90) days prior to the end of the demonstration period if the facility intends to continue operation, unless otherwise exempted under this rule or Chapter 6; and

9. The application of pesticides in order to control pests (e.g., any insect, rodent, nematode, fungus, weed, etc.) in a manner that is consistent with the requirements of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Missouri Pesticide Use Act.

(C) Nothing shall prevent the department from taking action, including the requirement for issuance of any permits under the Missouri Clean Water Law and regulations, if any of the activities exempted under subsection (1)(B) should cause pollution of waters of the state or otherwise violate the Missouri Clean Water Law or these regulations.

(2) Applications.

(A) An application for, or for renewal of, a construction permit or operating permit shall be made on forms (see 10 CSR 20-6.090) provided by the department. The applications may be supplemented with copies of information submitted for other federal or state permits. The application shall include a one inch equals two thousand feet (1" =2000') scale (or larger) map showing the location of all outfalls, as well as a flowchart indicating each process which contributes to an outfall. Each application must be accompanied by the appropriate permit fee. Alternate scale maps are allowed upon the request of the applicant and approval of the Department of Natural Resources.

(B) All applications must be signed as follows:

1. For a corporation, by an individual having responsibility for the overall operation of the regulated facility or activity, such as the plant manager, or by an individual having overall responsibility for environmental matters at the facility;

2. For a partnership or sole proprietorship, by a general partner or the proprietor respectively; or 3. For a municipal, state, federal or other public facility, by either a principal executive officer or by an individual having overall responsibility for environmental matters at the facility.

(C) All other reports required by the department shall be signed by a person designated in subsection (2)(B) of this rule or a duly authorized representative, if—

1. The representative so authorized is responsible for the overall operation of the facility from which the discharge occurs; and

2. The authorization is made in writing by a person designated in subsection (2)(B) of this rule and is submitted to the director.

(D) Any changes in the written authorization which occur after the issuance of a permit shall be reported to the department by submitting a new written authorization which meets the requirements of subsection (2)(C).

(3) Continuing Authorities.

(A) All applicants for construction permits or operating permits shall show, as part of their application, that a permanent organization exists which will serve as the continuing authority for the operation, maintenance and modernization of the facility for which the application is made. Construction and firsttime operating permits shall not be issued unless the applicant provides such proof to the department and the continuing authority has submitted a statement indicating acceptance of the facility.

(B) Continuing authorities which can be issued permits to collect and/or treat wastewater under this regulation are listed in preferential order in the following paragraphs. An applicant may utilize a lower preference continuing authority by submitting, as part of the application, a statement waiving preferential status from each existing higher preference authority, providing the waiver does not conflict with any area-wide management plan approved under section 208 of the Federal Clean Water Act or any other regional sewage service and treatment plan approved for the higher preference authority by the department:

1. A municipality or public sewer district which has been designated as the areawide management authority under Section 208(c)(1) of the Federal Clean Water Act;

2. A municipality, public sewer district or sewer company regulated by the Public Service Commission (PSC) which currently provides sewage collection and/or treatment services on a regional or watershed basis as outlined in 10 CSR 20-6.010(3)(C) and approved by the Clean Water Commission. Permits shall not be issued to a continuing authority regulated by the PSC until the authority has obtained a certificate of convenience and necessity from the PSC;

3. A municipality, public sewer district or sewer company regulated by the PSC other than one which qualifies under paragraph (3)(B)1. or 2. of this rule or a public water supply district. Permits shall not be issued to a continuing authority regulated by the PSC until the authority has obtained a certificate of convenience and necessity from the PSC;

4. Any person with complete control of, and responsibility for, the water contaminant source, point source or wastewater treatment facility and all property served by it. The person may constitute a continuing authority only by showing that the authorities listed under paragraphs (3)(B)1.-3. of this rule are not available, do not have jurisdiction, are forbidden by statute or ordinance from providing service to the person or, if available, have submitted written waivers as provided for in subsection (3)(B) of this rule; and

5. An association of property owners served by the wastewater treatment facility, provided the applicant shows that—

A. The authorities listed in paragraphs (3)(B)1.-3. of this rule are not available or that any available authorities have submitted written waivers as provided for in subsection (3)(B);

B. The association owns the facility and has valid easements for all sewers;

C. The document establishing the association imposes covenants on the land of each property owner which assures the proper operation, maintenance and modernization of the facility including at a minimum:

(I) The power to regulate the use of the facility;

(II) The power to levy assessments on its members and enforce these assessments by liens on the properties of each owner;

(III) The power to convey the facility to one (1) of the authorities listed in paragraphs (3)(B)1.-3.; and

(IV) The requirement that members connect with the facility and be bound by the rules of the association; and

D. The association is a corporation in good standing registered with the Office of the Missouri Secretary of State.

(C) The department will review the planning, design, construction and designation of watershed or regional sewage works. Where development is insufficient to warrant immediate construction of facilities for the entire watershed or region, interim facilities for a portion of the area shall be authorized as long as the design is compatible with 10 CSR 20-8, Design Guides. The department shall condition permits for these interim discharges so they will be eliminated upon the availability of watershed or regional facilities. At such time as watershed or regional facilities become available, and to the extent their capacity is sufficient, any existing subregional treatment works and/or lift stations shall be taken out of service and the tributary waste flows diverted into the watershed or regional facilities. A Regional Sewage Service and Treatment Plan shall be developed by all affected political jurisdictions and submitted to the department. Staff will review the plan and submit recommendations to the Clean Water Commission. The Clean Water Commission may approve, require changes, deny the plan and/or hold public hearings related to approval of the plan.

(D) Industries, including electric cooperatives and mining operations, are by definition continuing authorities for collection and treatment of industrial type wastewater and incidental domestic wastewater associated with their operation when an authority listed in paragraph (3)(B)1. or 2. is infeasible.

(E) Private corporations which are not incorporated under the laws of the state of Missouri shall be represented by a registered agent in the state of Missouri before a construction permit or an operating permit will be issued by the department.

(4) Construction Permits.

(A) No person shall cause or permit the construction, installation or modification of any sewer system or of any water contaminant source, point source or wastewater treatment facility without first receiving a construction permit issued by the department except for the following:

1. Construction of a separate storm sewer; and

2. Facilities as provided in other 10 CSR 20-6 regulations.

(B) A separate application for each sewer system, water contaminant source, point source or wastewater treatment facility must be submitted to the department. Where there are multiple releases from a single operating location, however, one (1) application may cover all facilities and releases. For continuing authorities listed in paragraph (3)(B)1. or 2. only one (1) application may be required when the authority operates a sewage treatment plant and has one (1) or more other noncontinuous storm water-related discharges associated with the sewage treatment plant.

(C) An application for a construction permit must be submitted to the department at least one hundred eighty (180) days in advance of the date on which construction begins. Requests for a shorter time for a review of a wastewater treatment facility may be made but must be accompanied by a detailed statement of the justification for the request. No such statement is required when the application is only for the construction of sewers.

(D) An application shall consist of the following items:

1. Unless not required by the department, an engineering report shall be submitted by an engineer and shall contain the information required by 10 CSR 20-8.020 and 10 CSR 20-8.110–10 CSR 20-8.220. If the report includes a wastewater treatment facility, it shall include consideration of the feasibility of constructing and operating a facility which will have no discharge to waters of the state (see section (12) of this rule). Unless the department specifies otherwise, this report will be reviewed and necessary changes made before the plans and specifications in paragraph (4)(D)2. will be reviewed;

2. Detailed plans and specifications shall be submitted by an engineer and shall contain the information required in 10 CSR 20-8.020 and 10 CSR 20-8.110–10 CSR 20-8.220 or other regulations as applicable;

3. An application form and permit fee;

4. A one inch equals two thousand feet (1" = 2000') scale map (or larger) showing the location of all outfalls (alternate scale maps are allowed upon the request of the applicant and approval of the Department of Natural Resources);

5. Other information necessary to determine compliance with the Missouri Clean Water Law and these regulations as required by the department; and

6. If a construction permit is waived by the department, or not required, the information in paragraphs (4)(D)1.-5. may be required with application for the operating permit.

(E) If an application is incomplete or otherwise deficient, the applicant shall be notified of the deficiency and processing of the application may be discontinued until the applicant has corrected all deficiencies. The department will act after receipt of all documents and information necessary for a properly completed application, including appropriate filing fees and other supporting documents as necessary, by either issuing a notice of operating permit pending, issuing the construction permit or denying the permit. The director in writing, shall give the reasons for a denial to the applicant. Applicants who fail to satisfy all department comments after two (2) certified department comment letters in a time frame established by the department shall have the application returned as incomplete and the construction fees shall be forfeited. The applicant has the right to request that the time frames be



extended when additional time is needed. The request must occur within the established time frame, it must be in writing and the department will grant reasonable time extensions.

(F) A notice of permit pending is a statement that the department intends to issue an operating permit. The department will issue the public notice of a pending new operating permit for a wastewater treatment facility before it issues the construction permit for the wastewater treatment facility. This allows the public an opportunity for comment prior to the construction of a wastewater treatment facility. A public notice will not be required prior to the issuance of a construction permit for a sewer collection system. If a construction permit for a new wastewater treatment facility is not issued within one (1) year of the date of the notice of permit pending, a new notice of permit pending will be issued.

(G) Construction permits shall expire one (1) year from the date of issuance unless the permittee applies for an extension. The department shall extend construction permits only one time. An applicant for this extension shall show that there have been no substantial changes in the original project and file for extension thirty (30) days prior to expiration. When a construction permit is issued for a project for which the construction period is known in advance to require longer than one (1) year from the date of issuance, the department may issue a permit allowing a period of time greater than one (1) year upon a showing by the applicant that the period of time is necessary and that no substantial changes in the project will be made without notifying the department. If there are changes, the department may require the applicant to apply for a new construction permit. Construction permits may be issued for a period of less than one (1) year when appropriate.

(H) Issuance of a construction permit does not constitute a guarantee by the department that the finished water contaminant source, point source or wastewater treatment facility will meet specified effluent limitations.

(I) The applicant shall provide the department with evidence the local planning and zoning agency has been notified of the project and must update the department on the status of any action by the local planning and zoning agency.

(5) Operating Permits.

(A) Persons who build, erect, alter, replace, operate, use or maintain any water contaminant source, point source or wastewater treatment facility which discharges to waters of the state shall obtain an operating permit from the department before any discharge occurs. The operating permit shall be issued to the owner/operator. Nondischarging facilities for the treatment or disposal of wastes, wastewater or residuals shall obtain permits as provided in 10 CSR 20-6.015. Persons who intend to discharge in accordance with section (14) of this rule are permitted by rule and may discharge without additional written approval from the department.

(B) Applications for an original operating permit for a facility that had a valid construction permit and a prior public notice shall be received by the department at least thirty (30) days before the facility begins to receive wastewater. Applications shall include the earliest date on which the discharge is scheduled to begin. The department will issue or deny the permit within sixty (60) days of receipt of the application. No facility shall discharge without a valid operating permit.

(C) Applications for the renewal of operating permits or for operating permits for facilities that did not require construction permits must be received at least one hundred eighty (180) days either before the expiration date of the present operating permit or the date the facility begins to receive wastewater.

(D) The department shall require that an engineer certify in writing that the project has been completed in accordance with its approved plans and specifications. A municipal official who has the responsibility for the operation and maintenance of the completed facility and knowledge of the construction may submit the certification to the department. A representative of the department may inspect the completed work in order to determine that the completed work substantially adheres to the approved plans and specifications and to the Missouri Clean Water Law and Clean Water Commission regulations.

(E) The department shall specify in each operating permit the concentration, weight, or both, of each contaminant which may be released.

(6) Sewer Extensions.

(A) Persons who construct sewers tributary to a system operated by one (1) of the continuing authorities listed in paragraphs (3)(B)1. or (3)(B)2. will be exempt from the construction permit requirements for sewers if the continuing authority administers a permit program which has been approved by the department.

1. In order to obtain approval of its permit program the continuing authority must submit a written request. The request must include an account of the procedures to be followed in approving the construction of sewers by others and for handling the design of sewers to be built by its own staff or contractors. The request must include at least the following:

A. Standard specifications and typical appurtenance construction details to which all construction will be required to adhere;

B. A showing that the applicant will engage or employ a sufficient number of professional engineers and other staff qualified to review plans, issue permits, prepare reports, inspect construction and enforce local and state requirements for each sewer extension;

C. A showing that the applicant will engage or employ a sufficient number of persons qualified to supervise construction or that the applicant has enforceable ordinances which require construction supervision and subsequent certification by a Missouri professional engineer; and

D. A showing that the applicant will maintain permanent plans of all sewers constructed and maintain records of sewer extension approvals and reports.

2. The department will review the application for approval and may ask for additional information if necessary to determine compliance with the Missouri Clean Water Law and these regulations. Approval may be granted for a period of up to five (5) years in the applicant's operating permit.

(B) Upon completion of construction and certification by the engineer in accordance with subsection (5)(D), owners or operators of sanitary sewer systems or extensions for which construction permits were issued shall apply for a letter of authorization for operation. The system or extension then shall be considered as a part of the treatment facility to which it is tributary for permit purposes.

(7) Schedules of Compliance.

(A) Permits may contain schedules of compliance requiring the permittee to take specific steps to achieve expeditious compliance with applicable standards and limitations and other requirements. Schedules of compliance shall require compliance as soon as practicable, but in no case later than an applicable statutory deadline.

(B) If any permit allows a time for achieving final compliance from the date of permit issuance, the schedule of compliance in the permit shall set forth interim requirements and the dates for their achievement.

(C) Within fourteen (14) days following each interim date and the final date of compliance, the permittee shall provide the department with written notice of the permittee's compliance or noncompliance with the interim or final requirement for the dates. (D) The department may modify a schedule of compliance in an issued permit upon request and a showing of justification by the applicant. In no case shall the compliance schedule be modified to extend beyond an applicable statutory treatment deadline.

(8) Terms and Conditions of Permits.

(A) The following shall be incorporated as terms and conditions of all permits:

1. All discharges and sludge disposal shall be consistent with the terms and conditions of the permit;

2. The permit may be modified or revoked after thirty (30) days' notice for cause including, but not limited to, the following causes:

A. A violation of any term or condition of the permit;

B. A misrepresentation or failure to fully disclose all relevant facts in obtaining a permit;

C. A change in the operation, size or capacity of the permitted facility; and

D. The permit may be modified after proper public notice and opportunity for comment when a wasteload allocation study has been completed showing that more stringent limitations are necessary to protect the in-stream water quality;

3. The permit may not be modified so as to extend the term of the permit beyond five (5) years after its issuance;

4. Permittees shall operate and maintain facilities to comply with the Missouri Clean Water Law and applicable permit conditions and regulations. Operators or supervisors of operations at regulated wastewater treatment facilities shall be certified in accordance with 10 CSR 20-9.020(2) and any other applicable state law or regulation. Operators of other wastewater treatment facilities, water contaminant source or point sources, upon request of the department, shall demonstrate that wastewater treatment equipment and facilities are effectively operated and maintained by competent personnel;

5. For the purpose of inspecting, monitoring or sampling the point source, sludge, water contaminant source or wastewater treatment facility for compliance with the Clean Water Law and these regulations, authorized representatives of the department shall be allowed by the permittee, upon presentation of credentials and at reasonable times, to—

A. Enter upon permittee's premises in which a point source, water contaminant source or wastewater treatment facility is located or in which any records are required to be kept under terms and conditions of the permit; B. Have access to, or copy, any records required to be kept under terms and conditions of the permit;

C. Inspect any monitoring equipment or method required in the permit;

D. Inspect any collection, treatment or discharge facility covered under the permit; and

E. Sample any wastewater or sludge at any point in the collection system or treatment process;

6. If the permit is for a discharge from a publicly-owned treatment works, the permittee shall give notice to the department of any new introduction of pollutants or any substantial change in the character or volume of nondomestic pollutants already being introduced. Notice shall include:

A. The origin, quality and quantity of pollutants to be introduced into the publicly-owned treatment works; and

B. Any anticipated impact on the quality and quantity of the effluent to be discharged or on the quality or quantity of the sludge to be disposed of by the treatment works;

7. If the permit is for a discharge from a publicly-owned treatment works, the permittee shall be able to identify any introduction of pollutants or substances into the facility that alone or in combination will cause-disruption of the treatment processes, violation of effluent standards as defined in their operating permit, violation of water quality standards in the receiving stream as defined in 10 CSR 20-7.031 or classification of the residues of the treatment processes as hazardous waste as defined in 10 CSR 25-4.010. In addition, the permittee shall require any industrial user of the treatment works to comply with the requirements of 10 CSR 20-6.100;

8. If a toxic effluent standard, prohibition or schedule of compliance is established under Section 307(a) of the Federal Clean Water Act for a toxic pollutant in the discharge of permittee's facility and the standard is more stringent than the limitations in the permit, then upon notice to the permittee the more stringent standard, prohibition or schedule shall be incorporated into the permit as one (1) of its conditions;

9. Facility expansions, production increases or process modifications which will result in a new or substantially different discharge or sludge characteristics must be reported sixty (60) days before the facility or process modification begins. Notification may be accomplished by application for a new permit, or if the discharge does not violate effluent limitations specified in the per-

mit, by submission of notice to the department of the changed discharge; and

10. When a continuing authority under paragraph (3)(B)1. or 2. is expected to be available for connection within the next five (5) years, any operating permit issued to a permittee under this paragraph, located within the service area of the paragraph (3)(B)1. or 2. facility, shall contain the following special condition: The tributary wastewater flow shall be connected to the continuing authority listed in paragraph (3)(B)1. or 2. within ninety (90) days of notice of availability by the continuing authority. The permittee shall obtain departmental approval for closure or alternate use of these facilities.

(B) The permit shall contain effluent limitations and monitoring requirements. Other terms and conditions shall be incorporated into permits if the department determines they are necessary to assure compliance with the Clean Water Law, related regulations or policies of the Missouri Clean Water Commission.

(9) Prohibitions. No permit shall be issued in the following circumstances:

(A) Where the terms and conditions of the permit do not comply with applicable guidelines or requirements, the Missouri Clean Water Law and Clean Water Commission regulations or the Federal Clean Water Act and federal regulations;

(B) Where the EPA regional administrator has properly objected to the issuance of a permit by the director;

(C) Where the permit conditions cannot ensure compliance with the applicable water quality requirements of all other affected states;

(D) Where, in the judgment of the secretary of the army acting through the appropriate district engineer, anchorage and navigation would be substantially impaired;

(E) For the discharge of any radiological, chemical or biological warfare agent or high level radioactive waste;

(F) For any discharge from a point source inconsistent with a plan or plan amendment approved under Section 208(b) of the Federal Clean Water Act; or

(G) To a facility which is a new source or a new discharger, if the discharge from the construction or operation of the facility will—

1. Cause or contribute to the violation of water quality standards if the point of discharge is located in a segment that was an effluent limitation segment, prior to the introduction of the discharge from the new source or new discharger; or

2. Exceed its pollutant load allocation if the discharge is into a water quality limited segment.



(10) Operating Permit Renewal and Expiration Dates.

(A) The first operating permit issued to new sources and new dischargers will be issued for a period of time sufficient only to allow the completion of construction of the facility, but not to exceed five (5) years, but not less than one (1) year. When all construction has been completed, the first operating permit may be issued for a period not to exceed five (5) years.

(B) Whenever a release or a potential for release from a point source, water contaminant source or wastewater treatment facility is permanently eliminated, the existing operating permit will be terminated upon verification by the department.

(C) Where a person has the permit responsibility for more than one (1) wastewater treatment facility, water contaminant source or point source involving more than one (1) operating permit, the department may combine the billings by issuing all operating permits with the same expiration date. Each facility shall continue to operate under and be governed by the separate provisions of each individual permit.

(D) When a check used for an application fee is returned to the department as nonnegotiable, review of the application shall cease and the applicant be notified. No further action shall be taken on the application until the fees have been resubmitted in the form of a cashier's check or money order payable to the state of Missouri.

(E) Continuation of Expiring Permits.

1. The terms and conditions of an expired permit are continued automatically pending issuance of a new permit if—

A. The permittee has submitted a timely and sufficient application for a new permit under this rule; and

B. The department is unable, through no fault of the permittee, to issue a new permit before the expiration date of the previous permit.

2. Permits continued under paragraph (10)(E)1. remain fully effective and enforceable.

(11) Permits Transferable.

(A) Subject to section (3), an operating permit may be transferred upon submission to the department of an application to transfer signed by a new owner or other continuing authority or responsible party. Until the time the permit is officially transferred, the original permittee remains responsible for complying with the terms and conditions of the existing permit.

(B) The department, within thirty (30) days of receipt of the application, shall notify

the new applicant of its intent to revoke and reissue or transfer the permit.

(C) Construction permits are not transferable. If ownership of a facility under construction changes, the new owner shall apply for a new construction permit following the procedures in section (4).

(12) Closure of Treatment Facilities.

(A) Persons who cease operation or plan to cease operation of waste, wastewater and sludge handling and treatment facilities shall close the facilities in accordance with a closure plan approved by the department.

(B) Operating permits under section (5) of this rule or under 10 CSR 20-6.015 are required until all waste, wastewater and sludges have been disposed of in accordance with the closure plan approved under subsection (12)(A) of this rule.

(13) General Permits.

(A) The director may issue a general permit in accordance with the following:

1. The general permit shall be written to cover a category of discharges described in the permit except those covered by individual permits within a geographic area. The area shall correspond to existing geographic or political boundaries, such as—

A. Designated planning areas under Sections 208 and 303 of the Federal Clean Water Act;

B. City, county, or state political boundaries, or special sewer districts chartered by the state;

C. State highway systems; and

D. Any other appropriate division or combination of boundaries; and

2. The general permit shall be written to regulate a category of point sources if the sources all—

A. Involve the same or substantially similar types of operations;

B. Discharge the same types of wastes;

C. Require the same effluent limitations or operating conditions;

D. Require the same or similar monitoring; and

E. Are controlled more appropriately, in the opinion of the director, under a general permit than under individual permits.

(B) General permits may be issued, modified, revoked and reissued or terminated in accordance with applicable requirements of this regulation. To be included under a general permit, a permittee must submit an application on forms supplied by the department.

(C) The director may require any person authorized by a general permit to apply for and obtain an individual operating permit. Any interested person may petition the director to take action under this subsection. Cases where an individual operating permit may be required include, but are not limited to, the following:

1. The discharge(s) is a significant contributor of pollution which impairs the beneficial uses of the receiving stream;

2. The discharger is not in compliance with the conditions of the general operating permit; and

3. A Water Quality Management Plan containing requirements applicable to these point sources is approved.

(D) Any owner/operator authorized by a general permit may request to be excluded from the coverage of the general permit by applying for an individual permit. As indicated in section (2), the owner/operator shall submit, to the director, an application with reasons supporting the request. The request shall be granted by issuing any individual permit if the reasons cited by the owner/operator are adequate to support the request.

1. When an individual operating permit is issued to an owner/operator otherwise subject to a general operating permit, the applicability of the general permit to the individual operating permittee is terminated automatically on the effective date of the individual permit.

2. A source excluded from a general permit solely because it already has an individual permit may request that the individual permit be revoked and that it be covered by the general permit. Upon revocation of the individual permit, the general permit shall apply to the source. The source shall be included under the general permit only if it meets all the requirements for coverage under the permit.

(14) Permit by Rule. The department shall petition the Clean Water Commission to reopen this rule for public review and comment on a five (5)-year interval.

(A) Hydrostatic Testing. Persons discharging water used for the hydrostatic testing of new petroleum-related oil and gas pipelines and storage tanks in the state of Missouri may discharge to waters of the state without first obtaining a permit if the discharge is *de minimis* (less than one thousand (<1,000) gallons) or the person takes the following steps:

1. Notification. The owner/operator must notify the department in writing of its intent to conduct hydrostatic test discharge(s) under this rule at least thirty (30) days prior to the first such discharge. This requirement may be met by a one-(1) time annual notification. Notice shall specify the source of water to be used in the hydrotest and shall identify the location(s) of the pipeline(s) and/or tank(s) to be tested.

2. Filing fee. Persons who intend to discharge in accordance with section (14) of this rule must pay a filing fee of twenty-five dollars (\$25) to the department with their notification above.

3. Discharge limits. The discharge must meet the following limits: <10 mg/l total petroleum hydrocarbons, <100 mg/l total suspended solids, and equal to or between 6.0 and 9.5 standard units pH.

4. Sampling and testing requirements. One (1) grab sample shall be taken per discharge during the first sixty (60) minutes of the discharge. The sample shall be analyzed for the pollutants limited by this rule. Sampling and analysis shall be performed in accordance with 10 CSR 20-7.015(9)(A). Total discharge volume shall be documented for each hydrostatic test discharge.

5. Analytical report. The owner/operator of the pipeline(s) and/or storage tank(s) on which the hydrostatic tests are performed shall submit an annual report summarizing each discharge, including date, time, test location, analytical results, and total discharge volume, in gallons, by October 28, of each year.

6. Exception reporting. If any of the sampling results from the hydrostatic test discharge show any violations of the following discharge limitations, written notification shall be made to the department within five (5) days of notification of analytical results. Notification shall indicate the date(s) of sample collection, the analytical results, and a statement concerning the revisions or modifications in management practices that are being implemented to address the violation of the limitation that occurred.

A. <10 mg/l total petroleum hydrocarbons.

B. <100 mg/l total suspended solids.

C. pH equal to or between 6.0 and 9.5 standard pH units.

7. General requirement. The hydrostatic testing water shall not contain dyes or have a visible sheen indicating the presence of petroleum products.

8. Any person who irrigates wastewater from a hydrostatic test may do so under this rule if the notification, filing fee and annual reporting requirements of paragraphs (4)(A)1., 2. and 4. are met and the irrigation does not result in any discharge to waters of the state. The quality of the irrigated wastewater is not required to meet the limits stated in paragraph (14)(A)6. of this rule.

9. The quality of wastewater from a hydrostatic test that is discharged directly to

the Mississippi or Missouri Rivers must meet the limits stated in paragraph (14)(A)6. of this rule with the exception of pH which shall be within a range between 6 and 10.

(B) The department may require a permit for these discharges if it determines that requiring a permit may better protect the quality of waters of the state.

(C) The person(s) discharging under this rule may apply for a permit at any time.

(D) This rule does not supersede nor eliminate liability for compliance with county and other local ordinances.

(E) Persons discharging under this rule are not required to obtain a separate permit to construct and operate an oil-water separator to aid in meeting limits for hydrostatic wastewater.

(F) The department shall maintain records open to the public on all persons claiming coverage under permit by rule. Appeals of permits in accordance with 10 CSR 20-6.020(6) may be received by the department up to thirty (30) days from the date the department received notice from the discharger.

AUTHORITY: section 644.026, RSMo 2000.* Original rule filed June 6, 1974, effective June 16, 1974. Rescinded: Filed Oct. 16, 1979, effective July 10, 1980. Readopted: Filed Feb. 4, 1980, effective July 11, 1980. Amended: Filed Sept. 8, 1981, effective Feb. 11, 1982. Amended: Filed Nov. 10, 1982, effective May 12, 1983. Amended: Filed Sept. 11, 1984, effective March 12, 1985. Amended: Filed Feb. 1, 1988, effective June 13, 1988. Amended: Filed Sept. 13, 1988, effective Feb. 14, 1989. Amended: Filed July 15, 1991, effective Jan. 13, 1992. Amended: Filed March 1, 1996, effective Nov. 30, 1996. Amended: Filed Nov. 3, 1997, effective July 30. 1998. Amended: Filed May 15. 2003. effective Jan. 30. 2004. Amended: Filed Mav 12, 2008, effective Feb. 28, 2009.

*Original authority: 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995, 2000.

Op. Atty. Gen. No. 53, Lafser (1-26-79). The point source discharges of pollutants from federal facilities within the state of Missouri are subject to the same NPDES program requirements as are any other point source discharges of pollutants subject to the Missouri Clean Water Law and regulations.

Op. Atty. Gen. No. 156, Wilson (8-18-76). The initial responsibility for issuing Clean Water Commission permits under section 204.051, RSMo Supp. 1975 rests with the director of the Department of Natural Resources acting in his/her capacity of administering Department of Natural Resources programs relating to environmental control and executing policies established by the Clean Water Commission.

10 CSR 20-6.011 Fees

PURPOSE: This regulation explains how the Department of Natural Resources implements fees authorized by the Missouri Clean Water Law. It sets the procedures for collection of fees from permit holders. Fees are collected for state operating permits, several permits and construction permits. An appendix to the rule reflects the range of fees that is established under the Missouri Clean Water Law.

(1) Fees–General.

(A) All persons who build, erect, alter, replace, operate, use or maintain wastewater treatment facilities shall pay the appropriate fees as designated in sections 644.052 and 644.053, RSMo (see Appendix A).

(B) Definitions.

1. Adjusted design flow. The actual average wastewater flow from a human sewage treatment system. If the average flow is sixty percent (60%) or less than the system's design flow, the average flow may be substituted for the design flow when calculating the permit fee on human sewage treatment facilities in Appendix A of this rule.

2. Definitions as set forth in the Missouri Clean Water Law and 10 CSR 20-2.010 shall apply to those terms when used in this regulation.

3. Human sewage. Human excreta and wastewater, including bath and toilet waste, residential laundry waste, residential kitchen waste, and other similar waste from household or establishment appurtenances.

4. Industrial process wastewater. This term as used in section 644.052, RSMo means any water, including storm water, that is regulated under 10 CSR 20-6.200, during manufacturing or processing, which comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, by-product or waste product.

5. Privately-owned treatment works. A treatment works serving a residential area, restaurant, commercial concern or other operation that only produces domestic sewage as defined in section 701.025, RSMo.

(C) The fees referenced in subsection (1)(A) shall be paid by check or money order and made payable to the state of Missouri. In the event a check used for the payment of operating fees is returned to the department



marked insufficient funds, the person forwarding the check shall be given fifteen (15) days to correct the insufficiency. If payment has not been corrected after fifteen (15) days, the person may be referred to the attorney general's office and late penalties assessed pursuant to section 644.055, RSMo. When a check used for the payment of a construction fee is returned to the department marked insufficient funds, review of the application shall cease and the applicant shall be notified. If the insufficiency is not corrected after ten (10) days, the application shall be returned as incomplete.

(D) Annual operating fees shall be submitted to: Department of Natural Resources, Division of Management Services, Receipts and Reporting Program, P.O. Box 477, Jefferson City, MO 65102 and construction fees shall be submitted with the application for the construction permit to the appropriate Department of Natural Resources regional office or the Water Pollution Control Program in Jefferson City, Missouri.

(E) Each payment shall identify the following: National Pollutant Discharge Elimination System (NPDES) permit number, payment period and applicant or permittee's name and address. Persons who own or operate more than one (1) facility may submit one (1) check to cover all annual permit fees, but are responsible for submitting the appropriate information to allow proper credit of each permit file account.

(F) Annual fees shall be paid in full on their due date as defined in section (2) and subsections (3)(A) and (4)(A). Permittees who only discharge intermittently, seasonally or for a short period of time must pay the entire annual fee. Fees are annual fees and may not be prorated. In the event the discharge is eliminated, the permittee is responsible for requesting termination of the permit. When permits are revoked or denied, the annual fees are forfeited. It is unlawful to discharge water contaminants into waters of the state without a permit.

(G) Annual fees are the responsibility of the permittee. Failure to receive a statement due to mailing errors, change of address, ownership changes or other reason(s) is not an excuse for failure to remit the fees. Penalties shall be charged as provided in section 644.055, RSMo.

(2) Operating Fees.

(A) All persons who are subject to fees under section 644.052.2, 644.052.4 or 644.052.5, RSMo shall remit their first annual fee with their original application and pay an annual fee each year on the anniversary date of their permit. Permittees with permits in effect at the time these sections become effective shall remit annual fees on the anniversary date of the permit. Persons whose permit is renewed during the duration of these fees shall submit a renewal application one hundred eighty (180) days before their permit expires, but the annual fee shall be paid on the anniversary date. The permit issue date that was in effect on October 1, 1990 shall be the anniversary date during the effective period of section 644.052, RSMo.

(B) Persons with a direct or indirect sewer service connection to a public sewer system owned or operated by a city, public sewer district, public water district, or other publiclyowned treatment works, shall pay an annual fee per water service connection. Customers served by multiple water service connections shall pay such fee for each water service connection, except that no single facility served by multiple connections shall pay more than seven hundred dollars (\$700) per year. The fees provided for in this subsection shall be collected by the agency billing such customer for sewer service and remitted to the department. The fees may be collected in monthly, quarterly or annual increments, and shall be remitted to the department no less frequently than annually.

(C) Customers served by any district formed pursuant to the provisions of Section 30(a) of Article VI of the *Missouri Constitution* shall pay fifty percent (50%) of the fees set forth in Appendix A from August 28, 2000 through September 30, 2001. Beginning October 1, 2001, customers of such districts shall pay one hundred percent (100%) of such fees.

(D) Five percent (5%) of the fees collected pursuant to subsections (2)(B) and (C) of this rule shall be retained by the city, public sewer district, public water district or other publicly-owned treatment works as reimbursement of billing and collection expenses.

(E) All persons who require permits, other than a general permit, for facilities that do not normally discharge such as land application facilities, sludge disposal facilities, agrichemical facilities and no-discharge facilities are subject to fees as follow:

1. Fees are based on the design flow of the wastewater being handled; and

2. Fees for sludge or solids disposal facilities are based on the combined total design flow of the wastewater treatment facilities from which the sludge or solids are removed.

(3) General Permits and Fees.

(A) Persons with more than one (1) point source shall obtain a general permit for each point source or specific area. Where there are multiple releases from a single operating location, however, one (1) application may cover all facilities and releases.

(B) The department may issue general permits for the following types of discharges: storm water releases from limestone quarries; hydrostatic pressure checks of pipelines, tanks and related equipment; potable water treatment plants; private trout farms or hatcheries for flow through spring water; swimming pool discharges; emergency spill cleanup sites; storm water releases from facilities that store less than fifty thousand (50,000) gallons of petroleum with no other wastewater; storm water releases from municipalities and industries; domestic wastewater treatment facility with a flow of less than fifty thousand gallons per day (50,000 gpd), except for facilities requiring mechanical aeration, clarification and regular sludge removal for proper operation; and clay pits or gravel washing operations.

(C) The department may issue general permits for the following types of discharges within a given specific area: storm water release points owned or operated by a utility company (a permit will be issued for each county, or the City of St. Louis, in which the utility operates); intermittent releases from the maintenance dredging of lakes owned or controlled by a city, local unit of government or home owners association within their boundaries.

(D) For general permits issued pursuant to this section and in effect on August 27, 2000, the permittee will be credited thirty dollars (\$30) on each anniversary date of permit issuance that falls between August 27, 2000 and the date the permit expires.

(4) Construction Fees.

(A) Construction permit fees shall be tendered together with the construction permit application. Incomplete construction permit applications and related engineering documents will be returned by the department if they are not completed in the time frame established by the department in a comment letter to the owner. Construction permit fees for returned applications shall be forfeited.

(B) Application fees for construction applications being processed by the department that are withdrawn by the applicant shall be forfeited.

(C) Fees for construction permit applications for modification to an existing sewage treatment plant shall be based on the design flow of the plant after the modifications are completed.



Operating permit—section 644.052, RSMo Human sewage discharges—annual fees \$100 for a design flow, or an adjusted design flow, under 5,000 gallons per day (gpd) \$175 for a design flow between 5,000 and 5,999 gpd \$200 for a design flow between 7,000 and 7,999 gpd \$225 for a design flow between 9,000 and 9,999 gpd \$225 for a design flow between 9,000 and 9,999 gpd \$250 for a design flow between 9,000 and 10,999 gpd \$375 for a design flow between 10,000 and 10,999 gpd \$400 for a design flow between 12,000 and 12,999 gpd \$550 for a design flow between 12,000 and 13,999 gpd \$550 for a design flow between 13,000 and 13,999 gpd \$550 for a design flow between 14,000 and 14,999 gpd \$550 for a design flow between 15,000 and 15,999 gpd \$600 for a design flow between 17,000 and 12,999 gpd \$500 for a design flow between 17,000 and 22,999 gpd \$2,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$2,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,000 for a design flow between 30,000 cu	APPENDIX A							
\$100 for a design flow, or an adjusted design flow, under 5,000 gallons per day (gpd) \$150 for a design flow between 5,000 and 5,999 gpd \$200 for a design flow between 7,000 and 7,999 gpd \$225 for a design flow between 7,000 and 7,999 gpd \$225 for a design flow between 8,000 and 8,999 gpd \$250 for a design flow between 9,000 and 9,999 gpd \$375 for a design flow between 10,000 and 11,999 gpd \$400 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 13,000 and 13,999 gpd \$500 for a design flow between 13,000 and 14,999 gpd \$600 for a design flow between 14,000 and 14,999 gpd \$600 for a design flow between 17,000 and 15,999 gpd \$600 for a design flow between 17,000 and 19,999 gpd \$600 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 20,000 and 24,999 gpd \$2,000 for a design flow between 20,000 and 24,999 gpd \$2,000 for a design flow between 20,000 and 24,999 gpd \$2,000 for a design flow between 20,000 and 24,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow tervice areas having > 35,000 customers \$0.50 per connection for service areas having > 35,000 -20,001 customers \$0.50 per connection for service areas having > 35,000 -20,001 customers \$0.60 per connection for service areas having < 1,000 customers \$0.70 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 1 inch and ≤ 4 inches in diamete	Operating permit—section 644.052, RSMo							
\$150 for a design flow between 5,000 and 5,999 gpd \$175 for a design flow between 6,000 and 6,999 gpd \$200 for a design flow between 7,000 and 7,999 gpd \$225 for a design flow between 8,000 and 8,999 gpd \$250 for a design flow between 9,000 and 9,999 gpd \$375 for a design flow between 10,000 and 10,999 gpd \$400 for a design flow between 11,000 and 11,999 gpd \$450 for a design flow between 11,000 and 12,999 gpd \$500 for a design flow between 13,000 and 13,999 gpd \$500 for a design flow between 14,000 and 13,999 gpd \$500 for a design flow between 14,000 and 14,999 gpd \$600 for a design flow between 15,000 and 15,999 gpd \$600 for a design flow between 15,000 and 15,999 gpd \$600 for a design flow between 16,000 and 16,999 gpd \$500 for a design flow between 17,000 and 19,999 gpd \$2,000 for a design flow between 17,000 and 22,999 gpd \$2,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$3,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow thetween 25,000 and 29,909 gpd \$3,000 for a design flow thetween 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow thetween 25,000 and 29,000 -7,001 customers \$0.50 per connection for service areas having $> 35,000$ -1,001 customers \$0.50 per connection for service areas having $< 1,000$ customers \$0.60 per connection for service areas having $< 1,000$ customers \$0.70 per connection for service areas having $< 1,000$ customers \$0.80 per connection to service areas having $< 1,000$ customers \$0.80 per connection to public water service lines > 1 inch and < 4 inches in diameter \$0 per connection to public water service lines > 1 inch and < 4 inches in diameter \$25 per connection to public water service lines > 1 inch and < 4 inches in diameter \$	Human sewage discharges—annual fees							
\$175 for a design flow between 6,000 and 6,999 gpd \$200 for a design flow between 7,000 and 7,999 gpd \$225 for a design flow between 8,000 and 8,999 gpd \$250 for a design flow between 9,000 and 9,999 gpd \$375 for a design flow between 10,000 and 10,999 gpd \$400 for a design flow between 11,000 and 11,999 gpd \$450 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 13,000 and 13,999 gpd \$500 for a design flow between 14,000 and 14,999 gpd \$500 for a design flow between 14,000 and 14,999 gpd \$600 for a design flow between 15,000 and 15,999 gpd \$600 for a design flow between 16,000 and 16,999 gpd \$600 for a design flow between 17,000 and 19,999 gpd \$2000 for a design flow between 17,000 and 22,999 gpd \$2,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sever connection fees Residential connections \$0.40 per connection for service areas having ≥ 35,000 customers \$0.50 per connection for service areas having 20,000-7,001 customers \$0.50 per connection for service areas having 21,000 customers \$0.60 per connection for service areas having 21,000 customers \$0.70 per connection for service areas having 21,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines > 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch in diameter Maximum fee to each industrial/commercial facility is \$700 \$12e of the connections shall be measured at the service meter	\$100 for a design flow, or an adjusted design flow, under 5,000 gallons per day (gpd)							
\$200 for a design flow between 7,000 and 7,999 gpd\$225 for a design flow between 8,000 and 8,999 gpd\$250 for a design flow between 9,000 and 9,999 gpd\$375 for a design flow between 10,000 and 10,999 gpd\$400 for a design flow between 11,000 and 11,999 gpd\$450 for a design flow between 12,000 and 12,999 gpd\$550 for a design flow between 13,000 and 13,999 gpd\$550 for a design flow between 14,000 and 14,999 gpd\$500 for a design flow between 14,000 and 14,999 gpd\$600 for a design flow between 15,000 and 15,999 gpd\$600 for a design flow between 16,000 and 16,999 gpd\$600 for a design flow between 17,000 and 12,999 gpd\$600 for a design flow between 17,000 and 22,999 gpd\$2,000 for a design flow between 20,000 and 22,999 gpd\$2,000 for a design flow between 23,000 and 24,999 gpd\$2,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)\$3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)\$3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)\$3,500 for a design flow to service areas having > 35,000 customers\$0.40 per connection for service areas having > 35,000 customers\$0.50 per connection for service areas having < 1,000 customers	\$150 for a design flow between 5,000 and 5,999 gpd							
S225 for a design flow between 8,000 and 8,999 gpd S250 for a design flow between 9,000 and 9,999 gpd S375 for a design flow between 10,000 and 10,999 gpd S400 for a design flow between 11,000 and 11,999 gpd S450 for a design flow between 12,000 and 12,999 gpd S500 for a design flow between 13,000 and 13,999 gpd S500 for a design flow between 14,000 and 14,999 gpd S600 for a design flow between 15,000 and 15,999 gpd S600 for a design flow between 16,000 and 16,999 gpd S600 for a design flow between 16,000 and 16,999 gpd S600 for a design flow between 17,000 and 22,999 gpd S500 for a design flow between 23,000 and 24,999 gpd S2,000 for a design flow between 23,000 and 24,999 gpd S2,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) S3,500 for a design flow 1 mgd and above	\$175 for a design flow between 6,000 and 6,999 gpd							
S250 for a design flow between 9,000 and 9,999 grd\$375 for a design flow between 10,000 and 10,999 grd\$400 for a design flow between 12,000 and 11,999 grd\$450 for a design flow between 12,000 and 13,999 grd\$500 for a design flow between 13,000 and 13,999 grd\$550 for a design flow between 14,000 and 14,999 grd\$600 for a design flow between 15,000 and 15,999 grd\$600 for a design flow between 16,000 and 16,999 grd\$600 for a design flow between 16,000 and 16,999 grd\$600 for a design flow between 17,000 and 19,999 grd\$800 for a design flow between 17,000 and 19,999 grd\$2,000 for a design flow between 20,000 and 22,999 grd\$2,000 for a design flow between 23,000 and 24,999 grd\$2,500 for a design flow between 30,000 grd and 1 million gallons per day (1 mgd)\$3,500 for a design flow between 30,000 grd and 1 million gallons per day (1 mgd)\$3,500 for a design flow between 30,000 grd and 1 million gallons per day (1 mgd)\$3,500 for a design flow for service areas having > 35,000 customers\$0.40 per connection for service areas having 35,000–20,001 customers\$0.50 per connection for service areas having 20,000–7,001 customers\$0.60 per connection for service areas having < 1,000 customers	\$200 for a design flow between 7,000 and 7,999 gpd							
8375 for a design flow between 10,000 and 10,999 gpd \$400 for a design flow between 11,000 and 11,999 gpd \$450 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 12,000 and 13,999 gpd \$500 for a design flow between 14,000 and 13,999 gpd \$600 for a design flow between 16,000 and 13,999 gpd \$600 for a design flow between 16,000 and 16,999 gpd \$600 for a design flow between 16,000 and 16,999 gpd \$800 for a design flow between 17,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow for service areas having > 35,000 customers \$0.40 per connection for service areas having 35,000–20,001 customers \$0.50 per connection for service areas having 7,000–1,001 customers \$0.70 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines < 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$225 for a design flow between 8,000 and 8,999 gpd							
\$400 for a design flow between 11,000 and 11,999 gpd \$450 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 13,000 and 13,999 gpd \$500 for a design flow between 14,000 and 14,999 gpd \$600 for a design flow between 15,000 and 15,999 gpd \$600 for a design flow between 16,000 and 16,999 gpd \$800 for a design flow between 17,000 and 19,999 gpd \$1,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 23,000 and 24,999 gpd \$3,000 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sewer connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 20,000–7,001 customers \$0.50 per connection for service areas having 21,000 customers \$0.50 per connection for service areas having <1,000 customers \$0.50 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 \$25 per connections shall be measured at the service meter	\$250 for a design flow between 9,000 and 9,999 gpd							
\$450 for a design flow between 12,000 and 12,999 gpd \$500 for a design flow between 13,000 and 13,999 gpd \$500 for a design flow between 14,000 and 14,999 gpd \$600 for a design flow between 15,000 and 15,999 gpd \$650 for a design flow between 16,000 and 16,999 gpd \$800 for a design flow between 16,000 and 19,999 gpd \$1,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sewer connection fees Residential connections \$0.40 per connection for service areas having $> 35,000$ customers \$0.50 per connection for service areas having $> 35,000$ -20,001 customers \$0.60 per connection for service areas having $> 35,000$ -20,001 customers \$0.60 per connection for service areas having $< 1,000$ customers \$0.70 per connection for service areas having $< 1,000$ customers \$0.80 per connection for service areas having $< 1,000$ customers \$0.80 per connection for service areas having $< 1,000$ customers \$0.80 per connection to public water service lines > 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$375 for a design flow between 10,000 and 10,999 gpd							
S500 for a design flow between 13,000 and 13,999 gpd S550 for a design flow between 14,000 and 14,999 gpd S600 for a design flow between 15,000 and 15,999 gpd S650 for a design flow between 16,000 and 16,999 gpd S800 for a design flow between 17,000 and 19,999 gpd S1,000 for a design flow between 20,000 and 22,999 gpd S2,000 for a design flow between 23,000 and 24,999 gpd S2,500 for a design flow between 25,000 and 29,999 gpd S3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) S3,500 for a design flow 1 mgd and above Sever connection fees Residential connections S0.40 per connection for service areas having > 35,000 customers S0.50 per connection for service areas having 35,000–20,001 customers S0.60 per connection for service areas having 7,000–1,001 customers S0.80 per connection for service areas having < 1,000 customers S0.80 per connection for service areas having < 1,000 customers S3 per connection for service areas having < 1,000 customers S3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system S10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter S25 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter S25 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$400 for a design flow between 11,000 and 11,999 gpd							
	\$450 for a design flow between 12,000 and 12,999 gpd							
S600 for a design flow between 15,000 and 15,999 gpdS650 for a design flow between 16,000 and 16,999 gpdS800 for a design flow between 17,000 and 19,999 gpdS1,000 for a design flow between 20,000 and 22,999 gpdS2,000 for a design flow between 23,000 and 24,999 gpdS2,500 for a design flow between 25,000 and 29,999 gpdS3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S3,500 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)S0,60 per connection for service areas having 20,000-7,001 customersS0.80 per connection for service areas having < 1,000 customers	\$500 for a design flow between 13,000 and 13,999 gpd							
SectorSectorSectora design flow between 16,000 and 16,999 gpd\$1,000 for a design flow between 17,000 and 19,999 gpd\$2,000 for a design flow between 23,000 and 22,999 gpd\$2,000 for a design flow between 23,000 and 24,999 gpd\$2,500 for a design flow between 25,000 and 29,999 gpd\$3,000 for a design flow between 25,000 and 29,999 gpd\$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)\$3,500 for a design flow 1 mgd and above Sewer connection feesResidential connections \$0.40 per connection for service areas having > 35,000 customers\$0.50 per connection for service areas having 35,000-20,001 customers\$0.60 per connection for service areas having 20,000-7,001 customers\$0.70 per connection for service areas having < 1,000 customers	\$550 for a design flow between 14,000 and 14,999 gpd							
\$800 for a design flow between 17,000 and 19,999 gpd \$1,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sever connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 35,000–20,001 customers \$0.60 per connection for service areas having 20,000–7,001 customers \$0.60 per connection for service areas having 7,000–1,001 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$600 for a design flow between 15,000 and 15,999 gpd							
\$1,000 for a design flow between 20,000 and 22,999 gpd \$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sewer connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 20,000–7,001 customers \$0.60 per connection for service areas having 7,000–1,001 customers \$0.70 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$650 for a design flow between 16,000 and 16,999 gpd							
\$2,000 for a design flow between 23,000 and 24,999 gpd \$2,500 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sewer connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 35,000–20,001 customers \$0.60 per connection for service areas having 20,000–7,001 customers \$0.60 per connection for service areas having 7,000–1,001 customers \$0.70 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$1.80 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$800 for a design flow between 17,000 and 19,999 gpd							
\$2,500 for a design flow between 25,000 and 29,999 gpd \$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sever connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 20,000–7,001 customers \$0.60 per connection for service areas having 20,000–7,001 customers \$0.70 per connection for service areas having 7,000–1,001 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$10 per connection to public water service lines > 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$1,000 for a design flow between 20,000 and 22,999 gpd							
\$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd) \$3,500 for a design flow 1 mgd and above Sever connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 20,000–20,001 customers \$0.60 per connection for service areas having 20,000–7,001 customers \$0.70 per connection for service areas having 7,000–1,001 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection for service areas having < 1,000 customers \$0.80 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$2,000 for a design flow between 23,000 and 24,999 gpd							
\$3,500 for a design flow 1 mgd and above Sewer connection fees Residential connections \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 35,000–20,001 customers \$0.60 per connection for service areas having 20,000–7,001 customers \$0.70 per connection for service areas having 7,000–1,001 customers \$0.80 per connection for service areas having < 1,000 customers	\$2,500 for a design flow between 25,000 and 29,999 gpd							
Sewer connection feesResidential connections $\$0.40$ per connection for service areas having > 35,000 customers $\$0.40$ per connection for service areas having 35,000–20,001 customers $\$0.50$ per connection for service areas having 20,000–7,001 customers $\$0.60$ per connection for service areas having 20,000–7,001 customers $\$0.70$ per connection for service areas having 7,000–1,001 customers $\$0.80$ per connection for service areas having < 1,000 customers	\$3,000 for a design flow between 30,000 gpd and 1 million gallons per day (1 mgd)							
Residential connections $\$0.40$ per connection for service areas having > 35,000 customers $\$0.50$ per connection for service areas having 35,000–20,001 customers $\$0.60$ per connection for service areas having 20,000–7,001 customers $\$0.70$ per connection for service areas having 7,000–1,001 customers $\$0.80$ per connection for service areas having < 1,000 customers	\$3,500 for a design flow 1 mgd and above							
 \$0.40 per connection for service areas having > 35,000 customers \$0.50 per connection for service areas having 35,000-20,001 customers \$0.60 per connection for service areas having 20,000-7,001 customers \$0.70 per connection for service areas having 7,000-1,001 customers \$0.80 per connection for service areas having < 1,000 customers Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter 	Sewer connection fees							
\$0.50 per connection for service areas having 35,000-20,001 customers \$0.60 per connection for service areas having 20,000-7,001 customers \$0.70 per connection for service areas having 7,000-1,001 customers \$0.80 per connection for service areas having < 1,000 customers Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter								
 \$0.60 per connection for service areas having 20,000-7,001 customers \$0.70 per connection for service areas having 7,000-1,001 customers \$0.80 per connection for service areas having < 1,000 customers Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter 								
 \$0.70 per connection for service areas having 7,000-1,001 customers \$0.80 per connection for service areas having < 1,000 customers Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter 								
 \$0.80 per connection for service areas having < 1,000 customers Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$30 maximum fee to each industrial/commercial facility is \$700 \$30 maximum fee to each industrial be measured at the service meter 								
Industrial/commercial connections \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Size of the connections shall be measured at the service meter	\$0.70 per connection for service areas having 7,000-1,001 customers							
 \$3 per connection to public water service lines ≤ 1 inch in diameter or per connection to a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter 								
a private water supply system \$10 per connection to public water service lines > 1 inch and ≤ 4 inches in diameter \$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter								
\$25 per connection to public water service lines > 4 inches in diameter Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter								
Maximum fee to each industrial/commercial facility is \$700 Size of the connections shall be measured at the service meter	\$10 per connection to public water service lines > 1 inch and \leq 4 inches in diameter							
Size of the connections shall be measured at the service meter	\$25 per connection to public water service lines > 4 inches in diameter							
	Maximum fee to each industrial/commercial facility is \$700							
Taps for fire suppression and irrigation systems are excluded								

Industrial discharges—annual fees for site-specific permits				
Discharges covered by section 644.052.4, RSMo				
3,500 for a design flow under 1 mgd				
5,000 for a design flow of 1 mgd or more				
Discharges covered by section 644.052.5, RSMo				
1,350 for a design flow under 1 mgd				
2,350 for a design flow of 1 mgd or more				
5,000 for discharges from concentrated animal feeding operations				



General permits-permit and annual fees

\$300 for the discharge of storm water from a land disturbance site

\$50 annually for the operation of a chemical fertilizer or pesticide facility

\$150 for the operation of an animal feeding operation or a concentrated animal feeding operation

\$150 annually for new permits for the discharge of process wastewater or storm water potentially contaminated by activities not included in the categories above. The fee shall be reduced to \$60 annually after the permit's first renewal

Construction permits-section 644.053, RSMo

\$750 for a wastewater treatment plant under 500,000 gpd design flow

\$2,200 for a wastewater treatment plant of 500,000 gpd or more

\$75 for sewer extension under 1,000 feet long

\$300 for a sewer extension over 1,000 feet long or the construction of a lift station

Permittees proposing to build under more than one (1) construction unit are only required to pay the highest fee

Permit Modifications—section 644.052.7 and 644.052.8

\$200 for modifications to permits on public entities collecting service connection fees under subsections (2)(B) and (2)(C) All other permits—25% of annual permit fee

Variances—section 644.061.4

\$250 for each petition

AUTHORITY: section 644.054, RSMo 2000.* Emergency rule filed July 27, 1990, effective Sept. 12, 1990, expired Jan. 10, 1991. Original rule filed July 17, 1990, effective Dec. 31, 1990. Amended: Filed July 15, 1991, effective Jan. 13, 1992. Amended: Filed Nov. 22, 1991, effective May 14, 1992. Amended: Filed Nov. 9, 2000, effective July 30, 2001.

*Original authority: 644.054, RSMo 1990, amended 1994, 2000.

10 CSR 20-6.015 No-Discharge Permits

PURPOSE: This rule sets forth the requirements and process of application for nondischarging facility permits and the terms and conditions of the authorizations.

(1) Definitions.

(A) Definitions as set forth in the Missouri Clean Water Law and 10 CSR 20-2.010 shall apply to those terms when used in this regulation.

(B) Other applicable definitions are as follows:

1. Biosolids. An organic fertilizer or soil amendment produced by the treatment of wastewater sludge;

2. Catastrophic storm. A precipitation event of twenty-four (24)-hour duration or less that exceeds the twenty-five (25)-year, twenty-four (24)-hour storm event;

3. Chronic storm event. A precipitation event with a duration of more than twentyfour (24) hours that exceeds the one-in-ten (1 in 10)-year return frequency;

4. *De minimis* source. A waste or wastewater source, or a facility for treatment or disposal of process wastes, that is determined by the department to pose a negligible potential impact on waters of the state even in the event of the malfunction of wastewater treatment controls;

5. Land application facility. A facility where process wastes are land applied or stored for subsequent land application, including land treatment basins; 6. Land treatment basin. An earthen impoundment that provides land treatment of wastewater by allowing wastewater percolation through the soil at controlled rates which exceed the allowable percolation rates under the pond sealing requirements in 10 CSR 20-8.020 and 10 CSR 20-8.200;

7. No-discharge facility. A facility designed, constructed and operated to meet each of the following conditions:

A. To hold or irrigate, or otherwise dispose without discharge to surface or subsurface waters of the state, all process wastes and associated storm water flows except for discharges that are caused by catastrophic and chronic storm events;

B. Process wastes are not land applied during frozen, snow covered or saturated soil conditions; and

C. Basins are sealed in accordance with 10 CSR 20-8 and there are no subsurface releases in violation of 10 CSR 20-7.015 or section 577.155, RSMo;

8. One-in-ten (1-in-10)-year precipitation. The wettest precipitation expected once every ten (10) years for a three hundred sixty-five (365)-day period, based on at least thirty (30) years of records from the National Climatic Data Center;

9. Operating location. All contiguous lands owned, operated or controlled by one (1) person or by two (2) or more persons jointly or as tenants in common or noncontiguous lands if they use a common area for the disposal of wastes. State and county roads are not considered property boundaries for the purposes of this rule;

10. Process wastes. The waste, wastewater, sludges, biosolids and residuals originating from sanitary conveniences, or generated during manufacturing or processing, or results from the production or use of any raw material, intermediate product, finished product, by-product, or waste product and includes discharges from land application fields that occur as a result of the land application process;

11. Septage. Septage is domestic wastewater sewage sludge that is removed from septic tanks or similar treatment works, including domestic wastewater treatment works serving up to one hundred fifty (150) persons;

12. Site-specific permit. An operating permit that is developed with limitations based on a case-by-case review of site-specific conditions;

13. Sludge. The solid, semisolid or liquid residue removed during the treatment of wastewater. Sludge includes septage removed from septic tanks; and 14. Twenty-five (25)-year, twenty-four (24)-hour rainfall. The wettest precipitation event for a twenty-four (24)-hour period with a probable recurrence interval of once in twenty-five (25) years based on at least thirty (30) years of records from the National Climatic Data Center.

(2) General.

(A) All persons who build, erect, alter, replace, operate, use or maintain water contaminant sources, point sources facilities for storage, treatment, land application or disposal of process wastes which are designed, constructed and operated so as not to discharge to waters of the state or will have infrequent discharges shall apply for construction and operating permits unless exempted under section (3) of this rule.

(B) Nothing shall prevent the department from taking action to assure that facilities do not discharge into waters of the state, including requiring permits for facilities normally exempted under this rule. Permits may be required where necessary to protect the environment, including the following:

1. To correct noncompliance;

2. To ensure when the department has determined that construction or operating practices are not adequate, that the facility will be operated in a no-discharge manner;

3. To require, by departmental determination from an on-site visit, that construction and operating permits are necessary for special operating controls or monitoring and reporting of site-specific conditions such as groundwater effects, surface runoff, waste or wastewater characteristics, topography, geology, watershed factors or land application loading rates;

4. When an unauthorized discharge has occurred or has the potential to occur;

5. When a discharge results in violation of water quality standards under 10 CSR 20-7.031; or

6. Other relevant factors.

(3) Exemptions.

(A) *De minimis* Exemption. Persons may apply to the department for an exemption as a *de minimis* source for operations that will not discharge or will have a negligible environmental impact. The department shall make a determination on a case-by-case basis. This determination shall consider the potential for releases to surface water and groundwater of contaminants in concentrations exceeding background water quality levels or limitations in the water quality standards rule under 10 CSR 20 Chapter 7. Testing of total and leachable concentrations of pollutants as compared to background levels in soils and/or waters of the state shall be submitted as determined necessary by the department.

(B) The following are exempt from no-discharge permit requirements unless required under subsection (2)(B):

1. Nonpoint sources;

2. Land application of composts and mulches in normal farming operations or horticulture operations provided that the compost does not contain more than five percent (5%) sewage sludge or industrial sludge;

3. Land application sites for beneficial use of water treatment plant residues removed during the treatment of drinking water supplies provided that aluminum or other potentially phytotoxic compounds are not present in the residues in concentrations which would result in chronic toxicity to plants or animals. This exemption does not apply to treatment or storage facilities;

4. Nondischarging facility for the handling, use or disposal of solid wastes that holds a valid permit issued under the Missouri Solid Waste Management Law and regulations in accordance with 10 CSR 80 or the Missouri Hazardous Waste Management Law and regulations in accordance with 10 CSR 25;

5. Animal feeding operations. Requirements for animal feeding operations are contained in 10 CSR 20-6.300;

6. Nondischarging facilities for domestic wastewater flows of three thousand gallons per day (3,000 gpd) or less;

7. Composting sites of less than two (2) acres when sludges are less than five percent (5%) of the compost mix and from which no storm water is discharged except during a chronic or catastrophic storm event. Other storm water discharges are regulated under 10 CSR 20-6.200;

8. Products containing or derived from sludges, biosolids or other process wastes when such products are licensed under the Missouri Fertilizer Law, sections 266.291 through 266.351, RSMo and regulations and the products do not exceed pollutant standards for protection of public health and the environment as established by the department. To receive this exemption, the manufacturer or distributor shall submit an initial report to the department on the pollutant content of the product and shall file periodic monitoring reports as determined necessary by the department;

9. Single family residences;

10. Internal plumbing and piping or other water diversion or retention structures within a manufacturing or industrial plant or mine, which are an integral part of the industrial or manufacturing process or building or mining operation. This exemption does not include lagoon, ponds or earthen impoundments which receive any process wastes;

11. Small scale pilot projects or demonstration projects for beneficial use that do not exceed a period of one (1) year may be exempted by written project approval from the permitting authority. The department may extend the permit exemption for up to one (1) additional year after review of the first year's results. A permit application shall be submitted at least ninety (90) days prior to end of the demonstration period if the facility intends to continue operation, unless otherwise exempted under this rule or Chapter 6;

12. An operating permit is not required for process waste holding structures from which the contents are hauled to a permitted treatment or disposal facility, if the owner has a written contract with the hauler and approval from the receiving facility;

13. Contract haulers are not required to have a permit under this rule if all waste is hauled to a permitted facility;

14. Other exemptions as may be prescribed in a general permit issued by the department in accordance with 10 CSR 20 Chapter 6;

15. The placement of uncontaminated soil, rock, sand, gravel, concrete, cinder blocks, bricks, recycled asphaltic pavement, and minimal amounts of wood and metal which are removed by demolition or construction activities and used as fill for construction projects; provided that placement of such material does not violate water quality standards as stated in 10 CSR 20-7.031. Storm water discharges may be regulated under 10 CSR 20-6.200; and

16. The placement of material, other than those listed in paragraph (3)(B)15., which are exempt as clean fill or beneficial use under the Missouri Solid Waste Management Law and regulations, provided the material is not placed in contact with surface or subsurface waters of the state. Storm water discharges may be regulated under 10 CSR 20-6.200.

(4) Permits.

(A) Permits required by this rule shall be issued in accordance with permit application and processing procedures contained in 10 CSR 20-6.010, 10 CSR 20-6.011, 10 CSR 20-6.020 and 10 CSR 20-6.200.

(B) Design Standards.

1. Facilities shall be constructed and operated in accordance with the rules under 10 CSR 20 Chapter 7 and Chapter 8. Exceptions or deviations may be considered by the department when determined appropriate based upon site-specific factors.

2. Where standards are not available, an engineering report addressing all available environmental data concerning potential pollutants and toxic substances shall be submitted in accordance with 10 CSR 20-8.020(3)(D), 10 CSR 20-8.020(15)(F), 10 CSR 20-8.110 and 10 CSR 20-7.031(4)(B).

3. Pollutant limitations for land application of sludge or biosolids shall conform to 10 CSR 20-7.015(9)(F).

4. Potential pollutant movement to groundwater shall not exceed the limitations in the water quality standards rule under 10 CSR 20-7.031 and the effluent rule under 10 CSR 20-7.015.

5. Groundwater monitoring may be required, where determined appropriate by the department, at land disposal sites or land application sites that receive pollutants in excess of beneficial use limitations or has potential for excess migration of pollutants to waters of the state. Monitoring wells shall be installed in accordance with monitoring well construction standards under 10 CSR 23, Chapter 4.

6. Hazardous waste shall not be land applied or disposed except in accordance with the Missouri Hazardous Waste Management Law and regulations under 10 CSR 25.

(C) Permit Conditions.

1. The department shall develop permit conditions containing limitations, monitoring, reporting and other requirements to protect soils, crops, surface waters, groundwater, public health and the environment.

2. The department may establish standard permit conditions and best management practices for land application facilities by following the public participation procedures under 10 CSR 20-6.020.

3. The department may establish a general permit for a category of similar facilities in accordance with 10 CSR 20-6.010(13).

4. Noncontiguous land application sites may be included in the operating permit for a process waste generator or contract hauler as determined appropriate by the department.

5. Whenever feasible or appropriate, all operating permit requirements under 10 CSR 20 Chapter 6 rules shall be incorporated into a single operating permit for each operating location.

6. Applications for permits shall include an engineer's seal affixed to all engineering plans and engineering certifications.

7. A water balance barrel test conducted in accordance with 10 CSR 20-8.020(16) shall be required for lagoons or earthen impoundments receiving industrial wastes, and engineering certification of the constructed seal shall be submitted as part of the operating permit application. (5) Closure of Waste Storage Structures.

(A) No-discharge facilities that cease operation, or plan to close lagoons and other waste storage structures, shall comply with the following requirements:

1. Facilities which cease operation shall continue to maintain a valid operating permit until all lagoons and waste storage structures are properly closed according to a closure plan approved by the department; and

2. Facilities that are exempted from permits under this rule and that cease operation shall either close the waste storage structures in accordance with subsection (5)(B) of this rule or shall continue to maintain all storage structures so that there is not a discharge to waters of the state.

(B) Closure Requirements. Lagoons and waste storage structures shall be closed by removal and land application of all wastewater and sludges, or in accordance with an alternate closure plan approved by the department. The removed wastewater and sludges shall be land applied at normal agricultural rates for nitrogen fertilizer not to exceed the maximum nitrogen utilization of the vegetation grown and shall be applied at controlled rates so that there will be no discharge to waters of the state. After removal and proper land application of wastewater and sludge, the earthen basins may be—

1. Demolished by removing the berms, grading and revegetation of the site so as to provide erosion control; or

2. Left in place for future use as a farm pond or similar uses or reserved for future use as a waste storage structure. To prevent damage to the bottom seal due to drying and weed growth, earthen basins shall be refilled with fresh water as soon as possible and water depths of three feet (3') or more should be maintained.

AUTHORITY: section 644.026, RSMo Supp. 1997.* Original rule filed July 15, 1991, effective Jan. 13, 1992. Amended: Filed June 1, 1995, effective Jan. 30, 1996. Amended: Filed Nov. 3, 1997, effective July 30, 1998.

*Original authority: 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995.



MISSOURI DEPARTMENT OF NATURAL RESOURCES CLEAN WATER COMMISSION APPLICATION FOR LETTER OF APPROVAL (NO-DISCHARGE FACILITY)					TYPE APPLIED FOR				
					CONSTRUCTION				
CONSTRUCTION APPLICATION: Comp OPERATING APPLICATION: Complete	plete part I of this for parts I and II of this f	m. or <u>m. OWNERSHI</u>	P TRANSFER: Co	omplete part I c	of this form.				
PARTI									
1. FACILITY NAME:	TELEPHONE NUMBER								
ADDRESS	CITY			STATE	ZIP CODE				
2. FACILITY LOCATION 1/4.	1/4, Sec.	Twp.	Rge.	County					
3. OWNER				TELEPHONE NUMBER					
ADDRESS	CITY		-	STATE	ZIP CODE				
4. OPERATING AUTHORITY NAME:			-						
ADDRESS	CITY	· ·		STATE	ZIP CODE				
5. CHECK ONE OF THE FOLLOWING: D NEW FACILITY: D EXPANSION OF EXISTING OPERATION: C CHANGE FROM DISCHARGE TO NO-DISCHARGE									
IF AN EXISTING OPERATION OR EXPANSION,	WRITE IN CURRENT APP	ROVAL OR PERMIT N	0						
6. BRIEF DESCRIPTION OF FACILITIES (IF ADD)	TIONAL SPACE IS REQUIR	RED, ATTACH ANOTH	IER SHEET.)						
7. ATTACH ALL PERTINENT DESIGN INFORMAT	FION. INCLUDE DETAILE	D PLANS AND SPECI	FICATIONS, AND M	ANAGEMENT PLAT	NS. (SEE INSTRUCTIONS				
8. I CERTIFY THAT I AM FAMILIAB WITH THE KNOWLEDGE AND BELIEF SUCH INFORMAT ABIDE BY ALL REGULATIONS OF THE MISSO WASTEWATER DISCHARGES TO WATERS OF	TION IS TRUE, COMPLET DURI CLEAN WATER COM	E. AND ACCURATE.	AND IF GRANTED	THIS LETTER OF .	APPROVAL, I AGREE TO				
PRINT NAME	APPLICANTS SIGN	ATURE		DATE					
APPLICANTS REQUESTING OPERATIO	NG APPROVAL ALS	MUST COMPLE	TE THE FOLLO	WING SECTIO	N				
PART II									
1. CONSTRUCTED UNDER CONSTRUCTION PER (WRITE "NONE" IF CONSTRUCTION APPROVA									
2. IF THE ANSWER TO ITEM 1 IS "NONE," COMP									
3. IF THE FACILITY CONSTRUCTED IS DIFFERENT FROM THE CONSTRUCTION APPROVAL, ATTACH "AS-BUILT" PLANS, INDICATE CHANGED PORTIONS, AND EXPLAIN THE REASONS FOR THE CHANGES.									
4. CERTIFICATION:									
I, THE PROJECT ENGINEER ON THE ABOVE-DESCRIBED FACILITIES, MEREBY CERTIFY THAT I HAVE INSPECTED THESE FACILITIES AND FIND THEM TO BE CONSTRUCTED ESSENTIALLY IN ACCORDANCE WITH THE APPROVED PLANS AND SPECIFICATIONS AND RECOMMEND THEIR ACCEPTANCE AND APPROVAL BY THE MISSOURI CLEAN WATER COMMISSION THIS CERTIFICATION INCLUDES THE FOLLOWING ITEMS:									
A. LAGOONS OR STORAGE BASINS SEALED AND FIELD TESTED IN ACCORDANCE WITH GEOLOGIC REPORT AND DEPARTMENT OF NATURAL RESOURCES REGULATIONS;									
B. LAGOONS AND STORAGE BASINS FILLED WITH FRESH WATER TO MINIMUM OPERATING WATER LEVEL, AND BERMS SEEDED AND MULCHED.									
C. WATER-LEVEL-MEASUREMENT GAUGES INSTALLED;									
D. GROUND-WATER-MONITORING WELLS INSTALLED, IF REQUIRED IN CONSTRUCTION PLANS;									
E. LAND-APPLICATION SYSTEM INSTALLED AND FIELD TESTED, OR RENTAL AGREEMENTS SIGNED;									
F. OPERATING MANUAL AND RECORD-KEEP	ING SYSTEM DEVELOPED	, AND TRAINING PRO	OVIDED TO OWNER	AND OPERATOR:					
G. OTHER CONDITIONS CONTAINED IN THE	LETTER OF APPROVAL FO	OR CONSTRUCTION.							
			···	DATE					

MO 780-0725 (4-88)

14